Contact: Mr. Jimmy Zou Add: No. 25, Xiaolan industry Rd, Xiaolan Town, Zhongshan City, Guangdong Province, China Tel:+86 136 7090 9771 Email:jimmy.zou@zshuanuo.com

CATALOG

2023-2024



Love Food • Love Life

A company focus on Kitchen Electric Appliances







ZhongShan HuaNuo Electric Appliance Co., Ltd.

Huanuo Electric Appliance, was founded in 2016, covering an area of over 84,000 square meters, has more than 600 employees, roughly 50 R&D engineers , about 100 skilled technicians and 9 assemble lines.

Huanuo is committed to producing stylish and high-quality smart kitchen appliances, including electric ovens, steam ovens, range hoods, disinfection cabinets, water purifiers, dishwasher and integrated stoves.

After nearly 6 years of development, Huanuo has become a large-scale smart kitchen appliance manufacturer and one of the best providers of OEM/ODM service for worldwide top brands.

HONOR & CERTIFICATES























































Dishwasher

Dishwasher series

Microwave oven with steam & grill

31L Kingtchen Microwave Oven with Steam & Grill

Steam Oven

25L Elfinor Multifunctional Oven with Steam

34L Escoffy Oven with Steam

43L Jane Oven with Steam

66L Sayes Oven with Steam

Electric oven

66L Kitchen Cruiser Intelligent Multifunctional Oven

Range Hood

Water dispenser

Water Purifier

Water dispenser

Dishwasher series Convenient drainage Connect faucet Just connect the drainpipe Water intake automatically at the back, easy to operation Outside water tank Triple sprays, 360° washing, Improve the difficulty of more cleaner filling water into inner water tank manually Fresh air exchange, drying, Inner water tank antibacterial, storage Filling water manually Top front vent, no damage of cabinet







X502



X501/X502/X503

Features


- ▲ 2 place settings/ 5place settings
- ▲ 1-24 hours delay start
- ▲ LED display
- ▲ 56 dBA noise
- ▲ Free installation
- ▲ Fresh storage
- ▲ Max 75°C
- ▲ CE CB ROHS

Dimensions

- Product: H460xW430xD450mm
- •Package:H528xW507xD512mm
- ·Loading(20' /40' /40HQ):176/368/460

Specifications

- •6 programs: Intensive, ECO, Normal, Glass, Rapid, Rinse
- •5L water/ cycle
- •F energy efficiency class











M31DX-YF01

Features


- ▲ 304 stainless steel one-piece inner
- ▲ Glass-ceramic bottom plate
- ▲ 3 shelves
- ▲ Concealed steam generator
- ▲ 1.3L independent water tank
- ▲ LED display with multi-function knob
- ▲ 3-layer glass door
- ▲ Safety door
- ▲ Convection fan

Specifications

- Steam, Grill, Microwave, Microwave&steam, Microwave&grill, grill&steam, Soup
- Proof, Defrost, Yogurt, Fast heat, steam clean, drying, Keep warm
- •53 Auto menu

Dimension

- •Product:W595xH455xD550mm
- •Package: W670xH580xD655mm
- ·Loading(20'/40'/40HQ): 96/216/216







S25DB-A

Features


- ▲ 304SS one-piece cavity
- ▲ 1L Independent water tank
- ▲ LED display
- ▲ 3-layer glass door
- ▲ Automatically preheat
- ▲ Back heater
- ▲ Convection fan

Specifications

- ·Steam, 3D Grill, Tender grill,
- Proof, Defrost, Yogurt, Dehydration, Steam clean
- •20 Auto menu
- ·1-10h delay start

Dimensions

- •Product:W450xH350xD440mm
- ·Package: W530xH440xD530mm
- ·Loading(20'/40'/40HQ): 200/440/528





S25DB-TYA01

Features


- ▲ 304SS one-piece cavity
- ▲ 1L Independent water tank
- ▲ LED display
- ▲3-layer glass door
- ▲ Automatically preheat
- ▲ Back heater
- ▲ Convection fan

Specifications

- Steam, 3D Grill, Tender grill,
- Proof, Defrost, Yogurt, Dehydration, Steam clean
- •45 Auto menu
- •1-10h delay start

Dimensions

- •Product:W450xH350xD440mm
- •Package: W530xH440xD530mm
- ·Loading(20'/40'/40HQ): 200/440/528





S25EB-C

Features


- ▲ 304SS one-piece cavity
- ▲ 1L Independent water tank
- ▲ LED display
- ▲ 3-layer glass door
- ▲ Automatically preheat
- ▲ Back heater
- ▲ Convection fan

Specifications

- ·Steam, 3D Grill, Tender grill,
- Proof, Defrost, Yogurt, Dehydration, Steam clean
- •20 Auto menu
- •1-10h delay start

Dimensions

- •Product:W450xH350xD440mm
- •Package: W530xH440xD530mm
- •Loading(20'/40'/40HQ): 200/440/528





S25EV-A


Features

- ▲ 304SS one-piece cavity
- ▲ 1L Independent water tank
- ▲ LED display
- ▲ Full touch control
- ▲ 3-layer glass door
- ▲ Automatically preheat
- ▲ Upper+Lower+Back heaters
- ▲ Convection fan

Specifications

- Steam, 3D Grill, Tender grill, Upper+Lower grill
- ·Air fryer
- Proof, Defrost, Yogurt, Dehydration, Keep warm, Steam clean
- •100 Auto menu
- •1-10h delay start
- ·Child lock

- •Product:W450xH350xD440mm
- •Package: W530xH440xD530mm
- •Loading(20'/40'/40HQ): 200/440/528









Advantages

- ▲ 8 intelligent menu
- ▲ 4 cooking mode
- ▲ Steam Cleaning
- ▲ 34L capacity
- ▲ 304Stainless steel cavity, easy to clean



Features

- Ì
- 1 Child lock
- ② 1L Dischargeable water tank
- 3 Interior LED light
- 4 Front high efficiency heat dissipation system to protect kitchenware
- (5) 3-layer galss with Low-E insulation film on inner one











S34EX-A

Features

- ▲ 304 one-piece cavity
- ▲ Consealled steam generator
- ▲ 1.0L Independent water tank
- ▲ Touch control with LED display
- ▲ 3-layer glass door
- ▲ Removable glass door
- ▲ Upper+ back heaters
- ▲ Convection fan


Cooking programs and functions

- ·Steam, Grill
- •Stea clean, Proof, Defrost
- Child-lock

Dimensions

- •Product:W595xH453xD528mm
- •Package: W685xH535xD640mm
- •Loading(20'/40'/40HQ): 108/216/270









S43EF-A

Features

- ▲ 304SS one-piece cavity
- ▲ 1L Independent water tank
- ▲ LED display
- ▲ Full touch control
- ▲ 3-layer glass door
- ▲ Automatically preheat
- ▲ Upper + Bottom heater
- ▲ Convectio fan


Specifications

- •3 Steam modes
- •6 Gril modes
- Proof, Defrost, Yogurt, Steam clean
- •48 Auto menu
- •1-10h delay start
- Child-lock

Dimensions

- •Product:W595xH455xD550mm
- •Package: W650xH520xD670mm
- •Loading(20'/40'/40HQ): 96/216/216

Installation dimensions





S43DQ-A

Features


- ▲ 304SS one-piece cavity
- ▲ 1.3L Independent water tank
- ▲ LED display
- ▲ Touch control with multi-function
- ▲ 3-layer glass door
- ▲ Automatically preheat
- ▲ Upper + Bottom +Back heater
- ▲ Convectio fan

Specifications

- •3 Steam modes
- •4 Gril modes
- Tender grill
- Proof, Defrost, Yogurt, Keep warm, Steam clean
- •48 Auto menu
- •24h delay start
- ·Child-lock

Dimensions

- •Product:W595xH455xD555mm
- Package: W650xH520xD670mm
- •Loading(20'/40'/40HQ): 81/162/216







Advantages

- Enamel one-piece cavity
- Extended inner temp probe, more accurate temperature control, more uniform temperature field
- •Concealed steam generator, precise control of steam volume
- Touch control panel
- •Easy removable door glass
- •47L capacity



Steam

- 1 110°C steam
- ② Directly steam technology, concealed steam system to avoid scale in cavity
- ③ High temperature steam help to soften grease in cavity and clean it easily



Grill

- ① 3D interactive heating technology, upper, bottom and back heater with fan ensure
- 2 Food heated evenly



- Intelligent child lock
- 1L Dischargeable water tank
- Interior LED light
- Front high efficiency heat dissipation system to protect kitchenware
- 3-layer galss with Low-E insulation film on inner one



S47EO-A

Features

- ▲ Enamel one piece inner
- ▲ Extended inner temp probe
- ▲ Concealed steam generator
- ▲ 1.3L independent water tank
- ▲ Touch control panle
- ▲ 3 glass door and inner with LOW-E
- ▲ Easy removable door glass
- ▲ Upper+bottom+back heaters
- ▲ Convection fan


Specifications

- •Steam, 8 grill modes, tender grill
- •Keep warm, Sterilization, Drying, Ferment, Defrost, Yogurt, Steam clean
- •68 smart recipes
- Lamp
- ·Child-Lock
- •24h Delay start

Dimensions

- •Product:W595xH455xD550mm
- ·Package: W650xH520xD670mm
- ·Loading(20'/40'/40HQ): 96/216/216

Installation dimensions





S47DQ-A

Features

- ▲ Enamel one piece inner
- ▲ Extended inner temp probe
- ▲ Concealed steam generator
- ▲ 1.3L independent water tank
- ▲ Touch control panle
- ▲ 3 glass door and inner with LOW-E
- ▲ Easy removable door glass
- ▲ Upper+bottom+back heaters
- ▲ Convection fan


Specifications

- •3 Steam modes
- •2 Grill&steam modes
- •8 Grill modes
- Keep warm, Sterilization, Drying, Ferment, Defrost, Yogurt, Steam clean
- •68 smart recipes

Dimensions

- •Product:W595xH455xD550mm
- •Package: W650xH520 xD670mm
- ·Loading(20'/40'/40HQ): 96/216/216

Installation dimensions





S47TQ-A

Features

- ▲ One piece enamel cavity
- ▲ Extended inner temp probe
- ▲ Concealed steam generator
- ▲ 1.3L independent water tank
- ▲ Touch control panel with TFT display
- ▲ 3 glass door and inner with LOWE Upper+ bottom+back heaters
- ▲ Convection fan
- ▲ Air fryer function is optional


Specifications

- •2 Steam modes
- Tender grill
- •9 Grill modes
- •DIY cooking mode
- Steam self clean/ Sterilization/ Yogurt/ Ferment
- •56 recipes
- Light button
- ·Child-lock
- Delay/Preheat/ Keep warm/ Defrost/ Dehydration/ Reheat/ Warm milk/ Warm wine/ Descaling

Dimensions

Product:W595xH455xD550mmPackage: W650xH520xD670mmLoading(20'/40'/40HQ): 96/216/216

Installation dimensions





S47EQ-C

Features


- ▲ Enamel one piece inner
- ▲ Extended inner temp probe
- ▲ Concealed steam generator
- ▲ 1.3L independent water tank
- ▲ Touch control panle
- ▲ 3 glass door and inner with LOW-E
- ▲ Easy removable door glass
- ▲ Upper+bottom+back heaters
- ▲ Convection fan

Specifications

- ·Steam, 8 grill modes, tender grill
- •Keep warm, Sterilization, Drying, Ferment, Defrost, Yogurt, Steam clean
- •68 smart recipes
- Lamp
- Child-Lock
- •24h Delay start

Dimensions

- •Product:W595xH455xD550mm
- •Package: W650xH520xD670mm
- •Loading(20'/40'/40HQ): 96/216/216





Advantages

- ▲ One piece enamel cavity;
- Extended inner temp probe, more accurate temperature control, more uniform temperature field;
- ▲ Concealed steam generator with direct steam technology precise control of steam volume;
- ▲ Instant freshness locking technology, extremely fast to lock fresh, original taste;
- Bottom concealed heater, not only help to keep a more uniform temperature, but also help to dry the condenser water during working;
- ▲ Varies recipes help to cook easily.

Combined steaming and grilling

Steaming and grilling combination, healthy collocation, one oven but various cooking functinos improve your quality of life; With a large capacity of 66L, you can cook more food at a time.

Features

- 1L independent water tank, fill in water conveniently;
- Interior halogen lamp, help to check food;
- •Front cooling system, help to protect the cabinet;
- •3-layer glass door and inner with LOW-E to keep heat inside efficiently
- Easy removable door glass;
- Steam clean, help to cleaning easily;











S66EQ-B

Features

- ▲ Enamel one piece inner
- ▲ Extended inner temp probe,
- ▲ Concealed steam generator
- ▲ 1.3L independent water tank
- ▲ Touch control panel
- ▲ 3 glass door and inner with LOW-E
- ▲4 heaters & convection fan
- ▲ Air fryer function is optional
- ▲ Cavity with hanger is optional


Specifications

- Steam
- •8 grill modes
- Tender grill
- Keep warm, Sterilization, Drying, Ferment, Defrost, Yogurt, Steam clean
- •68 smart recipes
- Lamp
- ·Child-Lock
- Delay

Dimensions

- •Product:W595xH595xD565mm
- Package: W680xH650xD655mm
- •Loading(20' /40' /40HQ): 81/162/216







S66EQ-F

Features


- ▲ Enamel one piece inner cavity
- ▲ Extended inner temp probe
- ▲ Concealed steam generator
- ▲ 1.3L independent water tank
- ▲ Colorful Touch control panel
- ▲ 3 glass door and inner with LOW-E
- ▲ Easy removable door glass
- ▲ 4 heaters + convection fan and cooling fan
- ▲ Cavity with hanger is optional

Specifications

- Steam
- •8 grill modes
- Tender grill
- Air Fryer
- Keep warm, Sterilization, Drying, Frmetn, Defrost, Yogurt, Steam clean, Light
- •108 smart recipes
- Delay start

Dimensions

- •Product:W595xH595xD565mm
- ·Package: W680xH650xD655mm
- ·Loading(20' /40' /40HQ): 81/162/216





S66TQ-A

Features


- ▲ One piece enamel cavity
- ▲ Extended inner temp probe
- ▲ Concealed steam generator
- ▲ 1.3L independent water tank
- ▲ Touch control panel with TFT display
- ▲ 3 glass door and inner with LOWE
- ▲ 4 heaters & convection fan
- ▲ Air fryer function is optional
- ▲ Cavity with hanger is optiona

Specifications

- •2 Steam modes
- Tender grill
- •9 Grill modes
- DIY cooking mode
- Steam self clean/ Sterilization/ Yogurt/ Ferment
- •56 recipes
- ·Child-lock
- Delay/Preheat/ Keep warm/ Defrost/ Dehydration/ Reheat/ Warm milk/ Warm wine/ Descaling/Light
- Delay start

Dimensions

- •Product:W595xH595xD565mm
- Package: W680xH650xD655mm
- ·Loading(20'/40'/40HQ):81/162/216





S66DO-A

Features

- ▲ Enamel one piece inner cavity
- ▲ Extended inner temp probe
- ▲ Concealed steam generator
- ▲ 1.3L independent water tank
- ▲ Touch control panel
- ▲ 3 glass door and inner with LOW-E
- ▲ Easy removable door glass
- ▲ Automatically water tank
- ▲ 4heaters + convection fan and cooling fan
- ▲ Food probe


Specifications

- ·4 steam modes
- •9 grill modes
- •2 steam
- Steam Self-clean, drying, keep warm, delay start
- · Multi steam dishes
- ·68 smart recipes

Dimensions

- •Product:W595xH595xD565mm
- Package: W680xH650x D655mm
- ·Loading(20' /40' /40HQ): 81/162/216

Installation dimensions





S66EO-G


Features


- ▲ Enamel one piece inner cavity
- ▲ Electric water tank
- ▲ Concealed steam generator
- ▲ 1.3L independent water tank
- ▲ Colorful Touch control panel
- ▲ 3 glass door and inner with LOW-E
- ▲ Easy removable door glass
- ▲ 4 heaters + convection fan and cooling fan
- ▲ Cavity with hanger is optional

Specifications

- 4 Steam modes
- •7 grill modes
- •2 Tender grill modes
- Air Fryer
- Keep warm, Drying, Fermentation, Defrost, Yogurt, Steam clean
- •68 smart recipes
- Delay start

- •Product:W595xH595xD565mm
- Package: W680xH650xD655mm
- •Loading(20' /40' /40HQ): 81/162/216













G66DO-A

Features


- ▲ Enamel one-piece cavity
- ▲ LED display
- ▲ 2 glass door
- ▲ 4 heaters with convection fan

Specifications

- •7 grill modes
- •Defrost, Ferment, Dehydration, Quick heat
- Delay start
- •Child-lock

Dimensions

- •Product:W595xH595xD565mm
- •Package: W680xH650xD655mm
- ·Loading(20' /40' /40HQ): 81/162/216



G66MQ-A

Features

- ▲ Enamel cavity
- ▲ 3 knobs
- ▲ 2 glass door
- ▲ Easy removal glass door
- ▲ 4 heaters with convection fan
- ▲ Hangers

Specifications

- •7 grill modes
- •Defrost, Ferment, Dehydration, Quick heat
- Delay start
- •Child-lock

- •Product:W595xH595xD565mm
- ·Package: W680xH650xD655mm
- ·Loading(20' /40' /40HQ): 81/162/216













T5

Features

- Width: 900/700/600mm
- Panel material: Glass
- Body material: Steel
- V-type volute design
- 3 speed (Intensive, normal, min)
- Control panel: Touch and Gesture
- Filter: SS baffle filter/ Aluminum filter
- Pipe: 1*Aluminum pipe, Ø150mm x 1.5m
- 220V-240V 50Hz 264W
- LED light: 2*5W
- Air outlet diameter: Ø 150 mm
- Chimney: 1*440mm Steel
- Motor: AC motor*1 105W
- Noise: 56dB
- Carton filter is optional

Specifications

• Air flow: 672m3/h

Dimensions

- 900mm
- product:W900xH490xD460mm package:W990xW320xH480xD540mm Loading(40HQ):455
- 700mm product:W700xH490xD460mm package:W770xW320xH490xD500mm Loading(40HQ):520
- 600mm product:W600xH490xD460mm package:W660xW320xH430xD500mm Loading(40HQ):580

T4

Features

- Width: 900/700/600mm
- Panel material: Glass
- Body material: Steel
- 3 speed (Intensive, normal, min)
- Control panel: Touch and Gesture
- Filter: SS baffle filter/ Aluminum filter
- Pipe: 1*Aluminum pipe, Ø150mm x 1.5m
- 220V-240V 50Hz 264W
- LED light: 2*1.5W
- Air outlet diameter: Ø 150 mm
- Chimney: 1*440mm Steel
- Motor: AC motor*1 105W
- Noise: 56dB
- Carton filter is optional

Specifications

• Air flow: 672m3/h

Dimensions

- 900mm
- product: W900xH490xD460mm package:W990xW320xH480xD540mm Loading(40HQ):455
- 700mm
- product:W700xH490xD460mm package:W770xW320xH490xD500mm Loading(40HQ):520
- 600mm

product:W600xH490xD460mm package:W660xW320xH430xD500mm Loading(40HQ):580

A19

Features

- Width: 900/700/600mm
- Panel material: Glass
- Body material: Steel+Glass
- 3 speed (Intensive, normal, min)
- Control panel: Touch and Gesture
- Filter: SS baffle filter/ Aluminum filter
- Pipe: 1*Aluminum pipe, Ø150mm x 1.5m
- 220V-240V 50Hz 264W
- LED light: 2*1.5W
- Air outlet diameter: Ø 150 mm
- Chimney: 1*440mm Steel
- Motor: AC motor*1 105W
- Noise: 56dB
- Carton filter is optional

Specifications

• Air flow: 672m3/h

Dimensions

- 900mm
- product:W900xH420xD430mm package:W950xW320xH430xD430mm
- Loading(40HQ):666
- 700mm
- product:W700xH420xD430mm package:W735xW320xH430xD430mm Loading(40HQ):760
- 600mm
- product:W600xH420xD430mm package:W635xW320xH430xD430mm Loading(40HQ):860

A8

Features

- Width: 900/700mm
- Panel material: Glass
- Body material: Steel
- 3 speed (Intensive, normal, min)
- Control panel: Touch and Gesture
- Filter: SS baffle filter/ Aluminum filter
- Pipe: 1*Aluminum pipe, Ø150mm x 1.5m
- 220V-240V 50Hz 264W
- LED light: 2*1.5W
- Air outlet diameter: Ø 150 mm
- Chimney: 1*440mm Steel
- Motor: AC motor*1 105W
- Noise: 56dB
- Carton filter is optional

Specifications

• Air flow: 672m3/h

- 900mm
- product:W900xH500xD490mm package:W990xW395xH523xD590mm
- Loading(40HQ):360
- 700mm
- product:W700xH500xD460mm package:W770xW395xH523xD590mm
- Loading(40HQ):420





А3

Features

- Width: 900/700mm
- Panel material: Glass
- Body material: Steel+Glass
- 3 speed (Intensive, normal, min)
- Control panel: Touch and Gesture
- Filter: SS baffle filter/ Aluminum filter
- Pipe: 1*Aluminum pipe, Ø150mm x 1.5m
- 220V-240V 50Hz 264W
- LED light: 2*1.5W
- Air outlet diameter: Ø 150 mm
- Chimney: 1*440mm Steel
- Motor: AC motor*1 105W
- Noise: 56dB
- Carton filter is optional

Specifications

• Air flow: 672m3/h

Dimensions

- 900mm
- product:W900xH500xD500mm package:W990xW395xH523xD590mm

Loading(40HQ):360

• 700mm

product:W700xH500xD460mm

package: W770xW395xH523xD590mm

Loading(40HQ):420

S101

Features

- Width: 900mm
- Panel material: Glass
- Body material: Steel
- 3 speed (Intensive, normal, min)
- Control panel: Touch and Gesture
- Filter: SS baffle filter
- Pipe: 1*Aluminum pipe, Ø180mm x 1.6m
- 220V-240V 50Hz 240W
- LED light: 2*2W
- Air outlet diameter: Ø 185 mm
- Chimney: No
- Motor: DC sealed copper motor*1
- Noise: 70dB
- Water clean
- Auto suction

Specifications

• Air flow: 1260m3/h

Dimensions

• 900mm

product:W895xH440xD440mm package:W995xH544xD537mm

Loading(40HQ):192



S201

Features

- Width: 900mm
- Panel material: Glass
- Body material: Steel
- 3 speed (Intensive, normal, min)
- Control panel: Touch
- Filter: SS baffle filter
- Pipe: 1*Aluminum pipe, Ø185mm x 1.8m
- 220V-240V 50Hz 245W
- LED light: 1*5W
- Air outlet diameter: Ø 185 mm
- Chimney: 1*400mm steel
- Motor: DC sealed copper motor*1
- Noise: 70dB

Specifications

• Air flow: 1020m3/h

Dimensions

• 900mm

product:W895xH550xD505mm
package:W945xH620xD575mm

Loading(40HQ):200

S301

Features

- Width: 700mm
- Panel material: Glass
- Body material: Steel
- 3 speed (Intensive, normal, min)
- Control panel: Touch and Gesture
- Filter: SS baffle filter/ Aluminum filter
- Pipe: 1*Aluminum pipe, Ø180mm x 1.5m
- 220V-240V 50Hz 280W
- LED light: 1.5W
- Air outlet diameter: Ø 185 mm
- Chimney: 1*400mm Steel
- Motor: AC copper motor*1 205W
- Noise: 55dB
- Carton filter is optional

Specifications

• Air flow: 600m3/h

- Product:W700xH514xD320mm
- Package:W810xH578xD475mm
- Loading(40HQ):224





A500

Features

- ▲ Water filter with RO, 600G
- ▲ Quick heat system, 3S ▲ Cold water
- ▲ Soda water
- ▲ Huayi Compressor
- Slide guide, easy for replace filers and Co2 tank
 Color display, touch control
 Glass panel, 304ss front plate
 Child Lock

Specifications

- •7 Programs: 100°C, 85°C, 60°C, 45°C, cold water. Soda water
- •Water volume: 250ml, 500ml, 750ml
- •Filters: VPC, RO
- •Water flow rate: 1.5L/min
- ·Heat rate: 20L/h
- •Cooling rate: 5L/h(will take around 20mins cool water from 25°C to 2°C)
- •Cooling water tank: 1.8L

- •Product:W595xH455xD525mm
- •Package: W720xH575xD650mm
- •Installation:W565xH455xD510mm
- •Loading(20' /40' /40HQ): 81/162/216





